NAVIGATION LIGHT AND SHAPE REQUIREMENTS - VESSELS <65.6 ft				
Type Vessel	Navigation Light and Shape Alternatives			
Under Oars	May . Display sailing vessel lights	Shall . If no sailing vessel lights, white flashlight or lighted lantern		
Power-Driven (including S/B under power)	≥39.4 ft . Red & green sidelights and separate white masthead and stern lights	<39.4 ft . Red & green sidelights and either separate white masthead and stern lights or an all-around white light	<23 ft and max speed <7 kts. all around white light, and. if possible. red & green sidelights	Sailing vessels under sail and power during daylight . black cone shape, point down where it can best be seen
	Sailing Vessel Alternatives			
Sailing	Red & green sidelights and white stern light	Red, green, & white %tiple+ light (at the top of the mast)	Red & green sidelights, white stern light, and an all-around Red over Green light at the top of the mast	<23 ft . If no sailing vessel lights, white flashlight or lighted lantern
Anchored (all vessels)	Night . All- around white light located where it best be seen from all directions	Day . Black ball shape near the top of the mast	<23 ft . light and shape not required unless anchored in or near a channel, fairway, or anchorage	
Vessel with restricted maneuverability	Night . Red over White over Red all-around light	Day . Ball over Diamond over Ball shapes	Day alternative . Alpha flag	
NOTES				
1	All red & green sidelights may be separate fixtures or combined fixtures.			
2	All light fixtures must the USCG approved.			
3	Source . A Boateros Guide To The Federal Requirements for Recreational Boaters			

Prepared by 114-06-06 FSO-VE 11/30/17